ELSEVIER

Brain Research 646 (1994) 358–360

BRAIN RESEARCH

Author Index

Anderson, C.-J., see Robertson, D. (646) 37
Anderson, K.D., see Karle, E.J. (646) 149
Andersson, C., Brunso-Bechtold, J. and Tytell, M.
Immunocytochemical and ultrastructural characterization of type 1 astrocytes and 0-2A lineage cells in long-term co-cultures (646) 100
Andreatta, R.D., Barlow, S.M. and Finan, D.S.
Modulation of the mechanically evoked perioral reflex during active force dynamics in young adults (646) 175
Araki, T., see Ban, H. (646) 211
Arnolda, L.F., see Minson, J.B. (646) 44
Asanuma, M., see Ogawa, N. (646) 337

Baccari, M.C., see Bongianni, F. (646) 307
Baker, G., see McGregor, A. (646) 273
Ban, H., Kato, H., Araki, T., Fujikura, H., Hasegawa, Y. and Kogure, K.
Effects of naftidrofuryl oxalate, a 5-HT_2 antagonist, on neurotransmission and transduction systems in the gerbil hippocampus (646) 211
Ban, Y., see Saito, R. (646) 170
Baran, H., Vass, K., Lassmann, H. and Hornykiewicz, O.
The cyclooxygenase and lipoxygenase inhibitor BW755C protects rats against kainic acid-induced seizures and neurotoxicity (646) 201
Barlow, S.M., see Andreatta, R.D. (646) 175
Bennett, B.A., see Hyde, C.E. (646) 118
Bianciotti, L., see Vatta, M. (646) 324
Blaustein, J.D., see Tetel, M.J. (646) 267
Blitzer, R.D., Wong, T., Nouranifar, R. and Landau, E.M.
The cholinergic inhibition of afterhyperpolarization in rat hippocampus is independent of cAMP-dependent protein kinase (646) 312
Boer, G.J., see Van Veldhuizen, M.J.A. (646) 19
Bongianni, F., Mutolo, D., Srinivasan, M., Staderini, G., Baccari, M.C., Calamai, F. and Pantaleo, T.
Gastric relaxation in response to chemical stimulation of the area postrema in the rabbit (646) 307
Borlongan, C.V., see Koutouzis, T.K. (646) 242
Botterblom, M.H.A., see Van Veldhuizen, M.J.A. (646) 19
Brown, G.M., see Kapur, S. (646) 292
Brunso-Bechtold, J., see Andersson, C. (646) 100
Buño, W., see Magariños-Ascone, C. (646) 299

Cahill, D.W., see Koutouzis, T.K. (646) 242
Calamai, F., see Bongianni, F. (646) 307
Carbone, S., see Szwarcfarb, B. (646) 351
Chalmers, J.P., see Minson, J.B. (646) 44
Chédotal, A., Cozzari, C., Faure, M.-P., Hartman, B.K. and Hamel, E.
Distinct choline acetyltransferase (ChAT) and vasoactive intestinal polypeptide (VIP) bipolar neurons project to local blood vessels in the rat cerebral cortex (646) 181
Cheng, G., Rong, X.-W. and Feng, T.-P.
Block of induction and maintenance of calcium-induced LTP by inhibition of protein kinase C in postsynaptic neuron in hippocampal CA1 region (646) 230
Coll, C., see Vatta, M. (646) 324
Couratier, Ph., see Sindou, Ph. (646) 124
Cozzari, C., see Chédotal, A. (646) 181
Creese, I., see Koutouzis, T.K. (646) 242
Crockett, D.P., see Foschini, D.R. (646) 1
Crönlein, T.A.M., see Lancel, M. (646) 85
Crowley, W.R., see Dube, M.G. (646) 341
Crusio, W.E., see Sluyter, F. (646) 145

De Groat, W.C., see Kawatani, M. (646) 26
De Groat, W.C., see Vizzard, M.A. (646) 279
DeMoor, K., see Johnson, R.M. (646) 327
Dinh, T.T., see Ritter, S. (646) 53
Dube, M.G., Xu, B., Crowley, W.R., Kalra, P.S. and Kalra, S.P.
Evidence that neuropeptide Y is a physiological signal for normal food intake (646) 341

Egan, M.F., see Knable, M.B. (646) 217
Egger, M.D., see Foschini, D.R. (646) 1
Ehrenstein, G., see Galdzicki, Z. (646) 332
Erdman, S.L., see Vizzard, M.A. (646) 279
Esclaire, F., see Sindou, Ph. (646) 124

Faure, M.-P., see Chédotal, A. (646) 181
Feenstra, M.G.P., see Van Veldhuizen, M.J.A. (646) 19
Feng, T.-P., see Cheng, G. (646) 230
Fernández, B., see Vatta, M. (646) 324
Finan, D.S., see Andreatta, R.D. (646) 175
Fonia, O., see Katz, Y. (646) 235
Förstermann, U., see Vizzard, M.A. (646) 279
Foschini, D.R., Egger, M.D. and Crockett, D.P.
The mutability of low-affinity nerve growth factor receptor ($p75^{NGFR}$) expression in the rat cuneate nucleus following perinatal injury and adult deafferentations: comparisons with cytochrome oxidase (646) 1
Freeman, T.B., see Koutouzis, T.K. (646) 242
Friedman, M.I., see Ritter, S. (646) 53
Fujikura, H., see Ban, H. (646) 211
Fukuyama, R., see Galdzicki, Z. (646) 332

Galdzicki, Z., Fukuyama, R., Wadhwani, K.C., Rapoport, S.I. and Ehrenstein, G.
β-Amyloid increases choline conductance of PC12 cells: possible mechanism of toxicity in Alzheimer's disease (646) 332
Galea, L.A.M., see Kavaliers, M. (646) 140
García-Austt, E., see Magariños-Ascone, C. (646) 299
Garry, M.G., Richardson, J.D. and Hargreaves, K.M.
Carrageenan-induced inflammation alters the content of i-cGMP and i-cAMP in the dorsal horn of the spinal cord (646) 135
Garty, M., see Keren, O. (646) 319
Gavish, M., see Katz, Y. (646) 235
Getzinger, M.J., see Tetel, M.J. (646) 267
Glaeser, B.S., see Johnson, R.M. (646) 327
Gordon, I., Rehavi, M. and Mintz, M.
Bilateral imbalance in striatal DA-uptake controls rotation behavior (646) 207

Hamada, T., see Watanabe, A. (646) 161
Hamel, E., see Chédotal, A. (646) 181
Hargreaves, K.M., see Garry, M.G. (646) 135
Hartman, B.K., see Chédotal, A. (646) 181
Hasegawa, Y., see Ban, H. (646) 211
Hirata, H., see Ogawa, N. (646) 337
Holsboer, F., see Lancel, M. (646) 85
Honda, K., see Saito, R. (646) 170
Hornykiewicz, O., see Baran, H. (646) 201
Houle, S., see Kapur, S. (646) 292
Hugon, J., see Sindou, Ph. (646) 124
Hyde, C.E. and Bennett, B.A.
Similar properties of fetal and adult amine transporters in the rat brain (646) 118

Hyde, T.M., see Knable, M.B. (646) 217

Ishiharada, N., see Saito, R. (646) 170

Jamot, L., see Sluyter, F. (646) 145
Jhanwar-Uniyal, M., Moorjani, B. and Kahn, A.H.
Indications of pre- and post-synaptic 5-HT_{1A} receptor interactions in feeding behavior and neuroendocrine regulation (646) 247
Johnson, P.I. and Stellar, J.R.
N-Methyl-D-aspartic acid-induced lesions of the nucleus accumbens and/or ventral pallidum fail to attenuate lateral hypothalamic self-stimulation reward (646) 73
Johnson, R.M., McNeeley, P.A., DeMoor, K., Stewart, G.R., Glaeser, B.S. and Pitchford, S.
Recombinant human ciliary neurotrophic factor stimulates the metabolic activity of SH-SY5Y cells as measured by a cytosensor microphysiometer (646) 327

Kahn, A.H., see Jhanwar-Uniyal, M. (646) 247
Kalra, P.S., see Dube, M.G. (646) 341
Kalra, S.P., see Dube, M.G. (646) 341
Kamiya, H.-o., see Saito, R. (646) 170
Kapur, S., Meyer, J., Wilson, A.A., Houle, S. and Brown, G.M.
Modulation of cortical neuronal activity by a serotonergic agent a PET study in humans (646) 292
Karle, E.J., Anderson, K.D. and Reiner, A.
Dopaminergic terminals form synaptic contacts with enkephalinergic striatal neurons in pigeons: an electron microscopic study (646) 149
Kasckow, J., see Parkes, D. (646) 315
Kato, H., see Ban, H. (646) 211
Katz, Y., Weizman, A., Pick, C.G., Pasternak, G.W., Liu, L., Fonia, O. and Gavish, M.
Interactions between laudanosine, GABA, and opioid subtype receptors: implication for laudanosine seizure activity (646) 235
Kaufman, G.D. and Perachio, A.A.
Translabyrinth electrical stimulation for the induction of immediate-early genes in the gerbil brainstem (646) 345
Kavaliers, M., Wiebe, J.P. and Galea, L.A.M.
Male preference for the odors of estrous female mice is enhanced by the neurosteroid 3α-hydroxy-4-pregnen-20-one (3αHP) (646) 140
Kawatani, M., Tanowitz, M. and De Groat, W.C.
Morphological and electrophysiological analysis of the peripheral and central afferent pathways from the clitoris of the cat (646) 26
Keren, O., Garty, M. and Sarne, Y.
Dual regulation by opioids of ^{3}H-norepinephrine release in the human neuroblastoma cell-line SK-N-SH (646) 319
Kleinman, J.E., see Knable, M.B. (646) 217
Knable, M.B., Hyde, T.M., Egan, M.F., Tosayali, M., Wyatt, R.J. and Kleinman, J.E.
Quantitative autoradiography of striatal dopamine D1, D2 and re-uptake sites in rats with vacuous chewing movements (646) 217
Kogure, K., see Ban, H. (646) 211
Kondo, Y., see Ogawa, N. (646) 337
Koutouzis, T.K., Borlongan, C.V., Scorcia, T., Creese, I., Cahill, D.W., Freeman, T.B. and Sanberg, P.R.
Systemic 3-nitropropionic acid: long-term effects on locomotor behavior (646) 242
Kristián, T., see Ou-Yang, Y.B. (646) 65

Lancel, M., Crönlein, T.A.M., Müller-Preuß, P. and Holsboer, F.
Pregnenolone enhances EEG delta activity during non-rapid eye movement sleep in the rat, in contrast to midazolam (646) 85
Landau, E.M., see Blitzer, R.D. (646) 312
Larson, A.A., see Yukhananov, R.Yu. (646) 194
Lassmann, H., see Baran, H. (646) 201
Lawrence, M.S. and Sapolsky, R.M.
Glucocorticoids accelerate ATP loss following metabolic insults in cultured hippocampal neurons (646) 303
Lesort, M., see Sindou, Ph. (646) 124
Liu, L., see Katz, Y. (646) 235
Llewellyn-Smith, I.J., see Minson, J.B. (646) 44

Magariños-Ascone, C., García-Austt, E. and Buño, W.
Polymodal sensory and motor convergence in substantia nigra neurons of the awake monkey (646) 299
McGregor, A., Baker, G. and Roberts, D.C.S.
Effect of 6-hydroxydopamine lesions of the amygdala on intravenous cocaine self-administration under a progressive ratio schedule of reinforcement (646) 273
McNeeley, P.A., see Johnson, R.M. (646) 327
Medina, J., see Szwarcfarb, B. (646) 351
Mellergård, P., see Ou-Yang, Y.B. (646) 65
Meyer, J., see Kapur, S. (646) 292
Minson, J.B., Llewellyn-Smith, I.J., Arnolda, L.F., Pilowsky, P.M., Oliver, J.R. and Chalmers, J.P.
Disinhibition of the rostral ventral medulla increases blood pressure and Fos expression in bulbospinal neurons (646) 44
Mintz, M., see Gordon, I. (646) 207
Moguilevsky, J.A., see Szwarcfarb, B. (646) 351
Moore, F.L., see Orchinik, M. (646) 258
Moorjani, B., see Jhanwar-Uniyal, M. (646) 247
Mori, A., see Ogawa, N. (646) 337
Müller-Preuß, P., see Lancel, M. (646) 85
Murray, T.F., see Orchinik, M. (646) 258
Mutolo, D., see Bongianni, F. (646) 307

Nishibayashi, S., see Ogawa, N. (646) 337
Nishimura, S., see Yamagami, K. (646) 295
Nojyo, Y., see Shibamori, Y. (646) 223
Nouranifar, R., see Blitzer, R.D. (646) 312

Ogawa, N., Asanuma, M., Kondo, Y., Hirata, H., Nishibayashi, S. and Mori, A.
Changes in lipid peroxidation, Cu/Zn-superoxide dismutase and its mRNA following an intracerebroventricular injection of 6-hydroxydopamine in mice (646) 337
Oliver, J.R., see Minson, J.B. (646) 44
Orchinik, M., Murray, T.F. and Moore, F.L.
Steroid modulation of $GABA_A$ receptors in an amphibian brain (646) 258
Ou-Yang, Y.B., Kristián, T., Mellergård, P. and Siesjö, B.K.
The influence of pH on glutamate- and depolarization-induced increases of intracellular calcium concentration in cortical neurons in primary culture (646) 65

Pantaleo, T., see Bongianni, F. (646) 307
Parkes, D., Kasckow, J. and Vale, W.
Carbon monoxide modulates secretion of corticotropin-releasing factor from rat hypothalamic cell cultures (646) 315
Parrott, R.F., see Vellucci, S.V. (646) 165
Pasternak, G.W., see Katz, Y. (646) 235
Perachio, A.A., see Kaufman, G.D. (646) 345
Perazzo, J., see Vatta, M. (646) 324
Peterson, G.M.
Differential projections to the hippocampus by neurons of the medial septum and vertical limb of the diagonal band (646) 129
Pick, C.G., see Katz, Y. (646) 235
Pilowsky, P.M., see Minson, J.B. (646) 44
Pitchford, S., see Johnson, R.M. (646) 327

Rajabi, H., see Stewart, J. (646) 157
Rapoport, S.I., see Galdzicki, Z. (646) 332
Rehavi, M., see Gordon, I. (646) 207
Reiner, A., see Karle, E.J. (646) 149
Richardson, J.D., see Garry, M.G. (646) 135
Ringo, J.L., see Sobotka, S. (646) 95
Ritter, S., Dinh, T.T. and Friedman, M.I.
Induction of Fos-like immunoreactivity (Fos-li) and stimulation of feeding by 2,5-anhydro-D-mannitol (2,5-AM) require the vagus nerve (646) 53
Roberts, D.C.S., see McGregor, A. (646) 273
Robertson, D. and Anderson, C.-J.
Acute and chronic effects of unilateral elimination of auditory nerve activity on susceptibility to temporary deafness induced by loud sound in the guinea pig (646) 37
Rong, X.-W., see Cheng, G. (646) 230

Saito, H., see Shibamori, Y. (646) 223
Saito, R., Ishiharada, N., Ban, Y., Honda, K., Takano, Y. and Kamiya, H.-o.
Vasopressin V1 receptor in rat hippocampus is regulated by adrenocortical functions (646) 170
Sanberg, P.R., see Koutouzis, T.K. (646) 242
Sapolsky, R.M., see Lawrence, M.S. (646) 303
Sarne, Y., see Keren, O. (646) 319
Scorcia, T., see Koutouzis, T.K. (646) 242
Shibamori, Y., Tamamaki, N., Saito, H. and Nojyo, Y.
The trajectory of the sympathetic nerve fibers to the rat cochlea as revealed by anterograde and retrograde WGA–HRP tracing (646) 223
Shibata, S., see Watanabe, A. (646) 161
Siesjö, B.K., see Ou-Yang, Y.B. (646) 65
Sindou, Ph., Lesort, M., Couratier, Ph., Yardin, C., Esclaire, F. and Hugon, J.
Glutamate increases tau phosphorylation in primary neuronal cultures from fetal rat cerebral cortex (646) 124
Sluyter, F., Jamot, L., Van Oortmerssen, G.A. and Crusio, W.E.
Hippocampal mossy fiber distributions in mice selected for aggression (646) 145
Sobotka, S. and Ringo, J.L.
Stimulus specific adaptation in excited but not in inhibited cells in inferotemporal cortex of Macaque (646) 95
Sorimachi, M., see Yamagami, K. (646) 295
Srinivasan, M., see Bongianni, F. (646) 307
Staderini, G., see Bongianni, F. (646) 307
Stein, M.L., see Szwarcfarb, B. (646) 351
Stellar, J.R., see Johnson, P.I. (646) 73
Stewart, G.R., see Johnson, R.M. (646) 327
Stewart, J. and Rajabi, H.
Estradiol derived from testosterone in prenatal life affects the development of catecholamine systems in the frontal cortex in the male rat (646) 157
Stoessl, A.J.
Localization of striatal and nigral tachykinin receptors in the rat (646) 13
Szwarcfarb, B., Carbone, S., Stein, M.L., Medina, J. and Moguilevsky, J.A.
Sexual differences in the effect of the GABAergic system on LH secretion and in the hypothalamic ontogenesis of $GABA_A$ receptors in prepubertal rats (646) 351

Takano, Y., see Saito, R. (646) 170
Tamamaki, N., see Shibamori, Y. (646) 223
Tanowitz, M., see Kawatani, M. (646) 26
Tetel, M.J., Getzinger, M.J. and Blaustein, J.D.
Estradiol and progesterone influence the response of ventromedial hypothalamic neurons to tactile stimuli associated with female reproduction (646) 267
Tosayali, M., see Knable, M.B. (646) 217
Travaglianti, M., see Vatta, M. (646) 324
Tytell, M., see Andersson, C. (646) 100

Vale, W., see Parkes, D. (646) 315
Van Oortmerssen, G.A., see Sluyter, F. (646) 145
Van Veldhuizen, M.J.A., Feenstra, M.G.P., Botterblom, M.H.A. and Boer, G.J.
Increased α_2-adrenoceptor mediated regulation of adult rat brain noradrenaline overflow after chronic neonatal exposure to propranolol; a microdialysis study (646) 19
Vass, K., see Baran, H. (646) 201
Vatta, M., Travaglianti, M., Bianciotti, L., Coll, C., Perazzo, J. and Fernández, B.
Atrial natriuretic factor effects on norepinephrine uptake in discrete telencephalic and diencephalic nuclei of the rat (646) 324
Vellucci, S.V. and Parrott, R.F.
Hyperthermia-associated changes in Fos protein in the median preoptic and other hypothalamic nuclei of the pig following intravenous administration of prostaglandin E_2 (646) 165
Vizzard, M.A., Erdman, S.L., Förstermann, U. and De Groat, W.C.
Differential distribution of nitric oxide synthase in neural pathways to the urogenital organs (urethra, penis, urinary bladder) of the rat (646) 279

Wadhwani, K.C., see Galdzicki, Z. (646) 332
Watanabe, A., Hamada, T., Shibata, S. and Watanabe, S.
Effects of nitric oxide synthase inhibitors on *N*-methyl-D-aspartate-induced phase delay of circadian rhythm of neuronal activity in the rat suprachiasmatic nucleus in vitro (646) 161
Watanabe, S., see Watanabe, A. (646) 161
Weizman, A., see Katz, Y. (646) 235
Wiebe, J.P., see Kavaliers, M. (646) 140
Wilson, A.A., see Kapur, S. (646) 292
Wong, T., see Blitzer, R.D. (646) 312
Wyatt, R.J., see Knable, M.B. (646) 217

Xu, B., see Dube, M.G. (646) 341

Yamagami, K., Nishimura, S. and Sorimachi, M.
Cd^{2+} and Co^{2+} at micromolar concentrations stimulate catecholamine secretion by increasing the cytosolic free Ca^{2+} concentration in cat adrenal chromaffin cells (646) 295
Yardin, C., see Sindou, Ph. (646) 124
Yukhananov, R.Yu. and Larson, A.A.
Morphine modulates excitatory amino acid-induced activity in the mouse spinal cord: short-term effects on *N*-methyl-D-aspartate (NMDA) and long-term effects on kainic acid (646) 194

(contents continued)

Atrial natriuretic factor effects on norepinephrine uptake in discrete telencephalic and diencephalic nuclei of the rat
M. Vatta, M. Travaglianti, L. Bianciotti, C. Coll, J. Perazzo and B. Fernández (Argentina) 324
Recombinant human ciliary neurotrophic factor stimulates the metabolic activity of SH-SY5Y cells as measured by a cytosensor microphysiometer
R.M. Johnson, P.A. McNeeley, K. DeMoor, G.R. Stewart, B.S. Glaeser and S. Pitchford (USA) 327
β-Amyloid increases choline conductance of PC12 cells: possible mechanism of toxicity in Alzheimer's disease
Z. Galdzicki, R. Fukuyama, K.C. Wadhwani, S.I. Rapoport and G. Ehrenstein (USA) 332
Changes in lipid peroxidation, Cu/Zn-superoxide dismutase and its mRNA following an intracerebroventricular injection of 6-hydroxydopamine in mice
N. Ogawa, M. Asanuma, Y. Kondo, H. Hirata, S. Nishibayashi and A. Mori (Japan) 337
Evidence that neuropeptide Y is a physiological signal for normal food intake
M.G. Dube, B. Xu, W.R. Crowley, P.S. Kalra and S.P. Kalra (USA) 341
Translabyrinth electrical stimulation for the induction of immediate-early genes in the gerbil brainstem
G.D. Kaufman and A.A. Perachio (USA) 345
Sexual differences in the effect of the GABAergic system on LH secretion and in the hypothalamic ontogenesis of $GABA_A$ receptors in prepubertal rats
B. Szwarcfarb, S. Carbone, M.L. Stein, J. Medina and J.A. Moguilevsky (Argentina) 351

Corrigendum 356

Author Index 357